

## SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1. Product identifier

Product name : BLUMOR SD

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.3. Details of the supplier of the safety data sheet

Registered company name : BLANCHON.

Address : 28, rue Charles Martin B.P. 105.69190.SAINT FON.S.FRANCE.

Telephone : 00.33.4.72.89.06.09. Fax : 00.33.4.72.89.06.02.

fds@blanchon.com

## 1.4. Emergency telephone number : 00.33.1.45.42.59.59.

## SECTION 2 : HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## 2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling :

EUH208 Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction.

## 2.3. Other hazards

The mixture does not contain any substances classified as 'Substances of Very High Concern' (SVHC) by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2. Mixtures

Composition :

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 7631-86-9 EC: 231-545-4 REACH: 01-2119379499-16 SILICE AMORPHE			[1]	0 <= x % < 2.5
CAS: 108-01-0 EC: 203-542-8 REACH: 01-2119492298-24-0001 2-DIMETHYLAMINOETHANOL	GHS06, GHS05, GHS02 Dgr Flam. Liq. 3, H226 Acute Tox. 4, H302 Acute Tox. 4, H312	C C;R34 Xn;R20/21/22 R10	[1]	0 <= x % < 2.5

This Safety Data Sheet is prepared in accordance with Annex II to Regulation (EC) No 1907/2006

First editing date : 14/01/2013  
Date of last updating : 14/01/2013  
Validation date : 12/03/2014

	Skin Corr. 1B, H314 Acute Tox. 3, H331			
CAS: 8002-74-2 EC: 232-315-6 REACH: 01-2119488076-30-0007 PARAFFIN WAXES AND HYDROCARBON WAXES			[1]	0 <= x % < 2.5
INDEX: 613-088-00-6 CAS: 2634-33-5 EC: 220-120-9 1,2-BENZISOTHIAZOL-3(2H)-ONE	GHS05, GHS07, GHS09 Dgr Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 M Acute = 1	Xn,N Xn;R22 Xi;R38-R41-R43 N;R50		0 <= x % < 2.5
INDEX: 019-002-00-8 CAS: 1310-58-3 EC: 215-181-3 POTASSIUM HYDROXIDE	GHS05, GHS07 Dgr Acute Tox. 4, H302 Skin Corr. 1A, H314	C C;R35 Xn;R22	[1]	0 <= x % < 2.5

## Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

**SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

**4.1. Description of first aid measures****In the event of exposure by inhalation :**

In the event of an allergic reaction, seek medical attention.

**In the event of splashes or contact with skin :**

In the event of an allergic reaction, seek medical attention.

**In the event of swallowing :**

Seek medical attention, showing the label.

**4.2. Most important symptoms and effects, both acute and delayed**

No data available.

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available.

**SECTION 5 : FIREFIGHTING MEASURES**

Non-flammable.

**5.1. Extinguishing media****Suitable methods of extinction**

In the event of a fire, use :

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO<sub>2</sub>)

**Unsuitable methods of extinction**

In the event of a fire, do not use :

- water jet

**5.2. Special hazards arising from the substance or mixture**

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

This Safety Data Sheet is prepared in accordance with  
Annex II to Regulation (EC) No 1907/2006

First editing date : 14/01/2013  
Date of last updating : 14/01/2013  
Validation date : 12/03/2014

## 5.3. Advice for firefighters

No data available.

---

**SECTION 6 : ACCIDENTAL RELEASE MEASURES**

## 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

## For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

## 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

---

**SECTION 7 : HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

Always wash hands after handling.

## Fire prevention :

Prevent access by unauthorised personnel.

## Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Storage

Keep out of reach of children.

## Packaging

Always keep in packaging made of an identical material to the original.

## 7.3. Specific end use(s)

No data available.

---

**SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION**

## 8.1. Control parameters

## Occupational exposure limits :

- France (INRS - ED984 :2008) :

CAS	VME-ppm :	VME-mg/m3 :	VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
8002-74-2	-	2	-	-	-	36
1310-58-3	-	-	-	2	-	-

- UK / WEL (Workplace exposure limits, EH40/2005, 2007) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
108-01-0	2 ppm	6 ppm	-	-	-
8002-74-2	2 mg/m3	6 mg/m3	-	-	-
1310-58-3	-	2 mg/m3	-	-	-

## Derived no effect level (DNEL) or derived minimum effect level (DMEL):

2-DIMETHYLAMINOETHANOL (CAS: 108-01-0)

Final use: Workers.

Exposure method: Dermal contact.

This Safety Data Sheet is prepared in accordance with  
Annex II to Regulation (EC) No 1907/2006

First editing date : 14/01/2013  
Date of last updating : 14/01/2013  
Validation date : 12/03/2014

Potential health effects: Long term systemic effects.

DNEL : 1.04 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL : 7.4 mg of substance/m<sup>3</sup>

SILICE AMORPHE (CAS: 7631-86-9)

Final use: Workers.

Exposure method: Inhalation.

Potential health effects: Short term local effects.

DNEL : 4 mg of substance/m<sup>3</sup>

Exposure method: Inhalation.

Potential health effects: Long term local effects.

DNEL : 4 mg of substance/m<sup>3</sup>

#### Predicted no effect concentration (PNEC):

2-DIMETHYLAMINOETHANOL (CAS: 108-01-0)

Environmental compartment: Soil.

PNEC : 0.0177 mg/kg

Environmental compartment: Fresh water.

PNEC : 0.0661 mg/l

Environmental compartment: Sea water.

PNEC : 0.00661 mg/l

Environmental compartment: Intermittent waste water.

PNEC : 0.0661 mg/l

Environmental compartment: Fresh water sediment.

PNEC : 0.0529 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC : 10 mg/l

## 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

#### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

---

## SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

#### General information :

This Safety Data Sheet is prepared in accordance with Annex II to Regulation (EC) No 1907/2006

First editing date : 14/01/2013

Date of last updating : 14/01/2013

Validation date : 12/03/2014

Physical state : Fluid liquid.

### Important health, safety and environmental information

pH : Not stated.

Neutral.

Boiling point/boiling range : 100 °C.

Flash point interval : Not relevant.

Vapour pressure (50°C) : Below 110 kPa (1.10 bar).

Density : > 1

Water solubility : Dilutable.

Melting point/melting range : Not specified.

Self-ignition temperature : Not specified.

Decomposition point/decomposition range : Not specified.

### 9.2. Other information

V.O.C.<sup>2</sup> 100g/l (mixture)

---

## SECTION 10 : STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid :

- frost

### 10.5. Incompatible materials

### 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO<sub>2</sub>)

---

## SECTION 11 : TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

No data available.

#### 11.1.1. Substances

##### Acute toxicity :

PARAFFIN WAXES AND HYDROCARBON WAXES (CAS: 8002-74-2)

Oral route : LD<sub>50</sub> > 5000 mg/kg

Species : Rat

OECD Guideline 401 (Acute Oral Toxicity)

Dermal route : LD<sub>50</sub> > 2000 mg/kg

Species : Rat

OECD Guideline 402 (Acute Dermal Toxicity)

2-DIMETHYLAMINOETHANOL (CAS: 108-01-0)

Oral route : LD<sub>50</sub> = 1183 mg/kg

Species : Rat

OECD Guideline 401 (Acute Oral Toxicity)

Dermal route : LD<sub>50</sub> = 1219 mg/kg

Species : Rabbit

OECD Guideline 402 (Acute Dermal Toxicity)

Inhalation route : LC<sub>50</sub> = 5.9 mg/l

Species : Rat

OECD Guideline 403 (Acute Inhalation Toxicity)

SILICE AMORPHE (CAS: 7631-86-9)

Oral route : LD<sub>50</sub> > 5000 mg/kg

This Safety Data Sheet is prepared in accordance with  
Annex II to Regulation (EC) No 1907/2006

First editing date : 14/01/2013  
Date of last updating : 14/01/2013  
Validation date : 12/03/2014

Species : Rat  
OECD Guideline 401 (Acute Oral Toxicity)  
Dermal route : LD50 > 5000 mg/kg  
Species : Rabbit  
Inhalation route : LC50 >= 1000 mg/m3  
Species : Rat  
OECD Guideline 403 (Acute Inhalation Toxicity)

**Skin corrosion/skin irritation :**

SILICE AMORPHE (CAS: 7631-86-9)  
Species : Rabbit  
OECD Guideline 404 (Acute Dermal Irritation / Corrosion)  
PARAFFIN WAXES AND HYDROCARBON WAXES (CAS: 8002-74-2)  
Corrosivity : No observed effect.  
Species : Rabbit  
OECD Guideline 404 (Acute Dermal Irritation / Corrosion)  
2-DIMETHYLAMINOETHANOL (CAS: 108-01-0)  
Corrosivity : Causes severe skin burns.  
Species : Rabbit  
OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

**Serious damage to eyes/eye irritation :**

PARAFFIN WAXES AND HYDROCARBON WAXES (CAS: 8002-74-2)  
Conjunctival redness : Average score < 2  
Species : Rabbit  
OECD Guideline 405 (Acute Eye Irritation / Corrosion)  
SILICE AMORPHE (CAS: 7631-86-9)  
OECD Guideline 405 (Acute Eye Irritation / Corrosion)  
2-DIMETHYLAMINOETHANOL (CAS: 108-01-0)  
Species : Rabbit  
OECD Guideline 405 (Acute Eye Irritation / Corrosion)

**Respiratory or skin sensitisation :**

2-DIMETHYLAMINOETHANOL (CAS: 108-01-0)  
Buehler Test : Non-sensitiser.  
Species : Guinea pig  
OECD Guideline 406 (Skin Sensitisation)

**Germ cell mutagenicity :**

PARAFFIN WAXES AND HYDROCARBON WAXES (CAS: 8002-74-2)  
Mutagenesis (in vivo) : Negative.  
Species : Mouse  
OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)  
OECD Guideline 471 (Bacterial Reverse Mutation Assay)  
Ames test (in vitro) : Negative.  
With or without metabolic activation.  
Species : S. typhimurium TA1535  
SILICE AMORPHE (CAS: 7631-86-9)  
No mutagenic effect.  
OECD Guideline 471 (Bacterial Reverse Mutation Assay)

**Reproductive toxicant :**

SILICE AMORPHE (CAS: 7631-86-9)  
Study on fertility : Species : Rat  
OECD Guideline 414 (Prenatal Developmental Toxicity Study)

**Specific target organ systemic toxicity - repeated exposure :**

SILICE AMORPHE (CAS: 7631-86-9)  
Oral route : C = 9000 mg/kg bodyweight/jour  
Species : Rat  
Duration of exposure : 90 days  
OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

This Safety Data Sheet is prepared in accordance with  
Annex II to Regulation (EC) No 1907/2006

First editing date : 14/01/2013  
Date of last updating : 14/01/2013  
Validation date : 12/03/2014

## 11.1.2. Mixture

Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

---

**SECTION 12 : ECOLOGICAL INFORMATION**

## 12.1. Toxicity

## 12.1.1. Substances

2-DIMETHYLAMINOETHANOL (CAS: 108-01-0)

Fish toxicity : LC50 = 146.6 mg/l

Species : *Leuciscus idus*

Duration of exposure : 96 h

Other guideline

Crustacean toxicity : EC50 = 98.4 mg/l

Species : *Daphnia magna*

Duration of exposure : 48 h

Other guideline

Algae toxicity : ECr50 = 66.1 mg/l

Species : *Scenedesmus subspicatus*

Duration of exposure : 72 h

Other guideline

PARAFFIN WAXES AND HYDROCARBON WAXES (CAS: 8002-74-2)

Fish toxicity : LC50 &gt; 1000 mg/l

Species : *Oncorhynchus mykiss*

Duration of exposure : 96 h

OECD Guideline 203 (Fish, Acute Toxicity Test)

Crustacean toxicity : EC50 &gt; 10000 mg/l

Species : *Daphnia magna*

Duration of exposure : 48 h

OECD Guideline 202 (*Daphnia* sp. Acute Immobilisation Test)

Algae toxicity : ECr50 &gt; 1000 mg/l

Species : *Scenedesmus subspicatus*

Duration of exposure : 72 h

OECD Guideline 201 (Alga, Growth Inhibition Test)

SILICE AMORPHE (CAS: 7631-86-9)

Fish toxicity : LC50 = 10000 mg/l

Species : *Danio rerio*

Duration of exposure : 96 h

OECD Guideline 203 (Fish, Acute Toxicity Test)

Crustacean toxicity : EC50 &gt; 1000 mg/l

Species : *Daphnia magna*

Duration of exposure : 24 h

OECD Guideline 202 (*Daphnia* sp. Acute Immobilisation Test)

Algae toxicity : ECr50 &gt; 10000 mg/l

Species : *Scenedesmus subspicatus*

Duration of exposure : 72 h

OECD Guideline 201 (Alga, Growth Inhibition Test)

## 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

## 12.2.1. Substances

PARAFFIN WAXES AND HYDROCARBON WAXES (CAS: 8002-74-2)

Biodegradability : no degradability data is available, the substance is considered as not degrading quickly.

SILICE AMORPHE (CAS: 7631-86-9)

Biodegradability : no degradability data is available, the substance is considered as not degrading quickly.

2-DIMETHYLAMINOETHANOL (CAS: 108-01-0)

Five-day biochemical oxygen demand : DBO5 1.05 g/g

Biodegradability : no degradability data is available, the substance is considered as not degrading quickly.

This Safety Data Sheet is prepared in accordance with  
Annex II to Regulation (EC) No 1907/2006First editing date : 14/01/2013  
Date of last updating : 14/01/2013  
Validation date : 12/03/2014

**12.3. Bioaccumulative potential**

No data available.

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

No data available.

**12.6. Other adverse effects**

No data available.

---

**SECTION 13 : DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

**13.1. Waste treatment methods**

Do not pour into drains or waterways.

**Waste :**

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

**Soiled packaging :**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

---

**SECTION 14 : TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

Exempt from transport classification and labelling.

---

**SECTION 15 : REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****- Classification and labelling information included in section 2:**

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- Regulation EC 1272/2008 modified by regulation EC 618/2012
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.

**- Container information:**

No data available.

**- Particular provisions :**

No data available.

**15.2. Chemical safety assessment**

No data available.

---

**SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

**Title for H, EUH and R indications mentioned in section 3 :**

H226 Flammable liquid and vapour.

This Safety Data Sheet is prepared in accordance with  
Annex II to Regulation (EC) No 1907/2006

First editing date : 14/01/2013  
Date of last updating : 14/01/2013  
Validation date : 12/03/2014



H302	Harmful if swallowed.
H302 + H312	Harmful if swallowed or in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
R 10	Flammable.
R 20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R 22	Harmful if swallowed.
R 34	Causes burns.
R 35	Causes severe burns.
R 38	Irritating to skin.
R 41	Risk of serious damage to eyes.
R 43	May cause sensitisation by skin contact.
R 50	Very toxic to aquatic organisms.

**Abbreviations :**

DNEL : Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

This Safety Data Sheet is prepared in accordance with  
Annex II to Regulation (EC) No 1907/2006

First editing date : 14/01/2013  
Date of last updating : 14/01/2013  
Validation date : 12/03/2014